


Dipstick Table from Envirotank



E55 (2.5m)

Nominal total volume:	55,000 litres	Tank diameter (inner):	2500 mm
Calculated total volume:	55764 litres	Inside overall length:	11800 mm
		Cylinder length:	10527 mm
Slope:	0 °	Reinforcement pad thickness:	0 mm
		Distance from dipstick connection to lower end of cylinder:	100 mm

0 mm	0 litres	509 mm	8000 litres	828 mm	16000 litres
43	200	518	8200	836	16200
68	400	527	8400	843	16400
89	600	536	8600	850	16600
108	800	544	8800	858	16800
125	1000	553	9000	865	17000
141	1200	561	9200	873	17200
157	1400	570	9400	880	17400
171	1600	578	9600	887	17600
186	1800	586	9800	894	17800
199	2000	595	10000	902	18000
212	2200	603	10200	909	18200
225	2400	611	10400	916	18400
237	2600	619	10600	923	18600
250	2800	627	10800	931	18800
261	3000	635	11000	938	19000
273	3200	644	11200	945	19200
284	3400	652	11400	952	19400
296	3600	660	11600	959	19600
307	3800	668	11800	967	19800
317	4000	675	12000	974	20000
328	4200	683	12200	981	20200
339	4400	691	12400	988	20400
349	4600	699	12600	995	20600
359	4800	707	12800	1002	20800
369	5000	715	13000	1009	21000
379	5200	722	13200	1016	21200
389	5400	730	13400	1023	21400
399	5600	738	13600	1031	21600
409	5800	745	13800	1038	21800
418	6000	753	14000	1045	22000
428	6200	761	14200	1052	22200
437	6400	768	14400	1059	22400
446	6600	776	14600	1066	22600
456	6800	783	14800	1073	22800
465	7000	791	15000	1080	23000
474	7200	798	15200	1087	23200
483	7400	806	15400	1094	23400
492	7600	813	15600	1101	23600
501	7800	821	15800	1108	23800
1115 mm	24000 litres	1464 mm	34000 litres	1834 mm	44000 litres
1122	24200	1471	34200	1842	44200
1129	24400	1478	34400	1850	44400
1136	24600	1485	34600	1858	44600
1143	24800	1492	34800	1866	44800
1150	25000	1499	35000	1874	45000




Dipstick Table from Envirotank



E55 (2.5m)

1157	25200	1506	35200	1882	45200
1164	25400	1513	35400	1890	45400
1171	25600	1520	35600	1899	45600
1178	25800	1528	35800	1907	45800
1185	26000	1535	36000	1915	46000
1192	26200	1542	36200	1924	46200
1198	26400	1549	36400	1932	46400
1205	26600	1556	36600	1940	46600
1212	26800	1563	36800	1949	46800
1219	27000	1571	37000	1957	47000
1226	27200	1578	37200	1966	47200
1233	27400	1585	37400	1975	47400
1240	27600	1592	37600	1983	47600
1247	27800	1600	37800	1992	47800
1254	28000	1607	38000	2001	48000
1261	28200	1614	38200	2010	48200
1268	28400	1621	38400	2019	48400
1275	28600	1629	38600	2028	48600
1282	28800	1636	38800	2037	48800
1289	29000	1643	39000	2046	49000
1296	29200	1651	39200	2055	49200
1303	29400	1658	39400	2065	49400
1310	29600	1666	39600	2074	49600
1317	29800	1673	39800	2083	49800
1324	30000	1680	40000	2093	50000
1331	30200	1688	40200	2103	50200
1338	30400	1695	40400	2112	50400
1345	30600	1703	40600	2122	50600
1352	30800	1710	40800	2132	50800
1358	31000	1718	41000	2143	51000
1365	31200	1725	41200	2153	51200
1372	31400	1733	41400	2163	51400
1379	31600	1741	41600	2174	51600
1386	31800	1748	41800	2184	51800
1393	32000	1756	42000	2195	52000
1400	32200	1764	42200	2206	52200
1407	32400	1771	42400	2218	52400
1414	32600	1779	42600	2229	52600
1421	32800	1787	42800	2241	52800 SFL
1428	33000	1795	43000	2253	53000
1436	33200	1802	43200	2265	53200
1443	33400	1810	43400	2277	53400
1450	33600	1818	43600	2290	53600
1457	33800	1826	43800	2303	53800
2317 mm	54000 litres				
2331	54200				
2346	54400				
2361	54600				
2378	54800				
2395	55000				
2414	55200				
2436	55400				
2462	55600				



Dipstick Table from Envirotank



E55 (2.5m)
